		L	#	Hits	Search Text	DBs
1		L1	•	5394	optic\$2 near inspect\$3	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B
2		L2		84178	scratch\$2) near5 (wafers or	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B
3		L4		195	1 same 2	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B
4		<b>L</b> 5		75	time near domain near integrat\$3	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B
5	-	L6		1	4 and 5	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B

	L #	Hits	Search Text	DBs
6	L7		(time near delay or integrat\$3) or TDI	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B
7	L8	118	4 and 7	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B
8	L9	19022	sens\$3 near3 modul\$3	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD
9	L10	8	8 and 9	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B
10	L11	11921	(time near delay near integrat\$3) or TDI	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B

	L#	Hits	Search Text	DBs
	•			USPAT;
	:			US-PGP
				UB;
				EPO;
111	L12	25	4 and 11	JPO;
-				DERWEN
1	·			T;
1.		,		IBM_TD
				В
		<u> </u>		USPAT;
				US-PGP
				UB;
				EPO;
12	L14	420	2 and 11	JPO;
		120	Z WIIW II	DERWEN
				Т;
				IBM TD
				В
		`		USPAT;
	,			US-PGP
. 1				UB;
	:-			EPO;
1, ,	T 1 C	260		JPO;
13	L16	268	14 and imag\$3	DERWEN
				T;
		;	*	IBM TD
				В
				<u></u>
	* 1			USPAT;
				US-PGP
				UB;
		<i>(</i>		EPO;
14	L17	63	modul\$3 and 16	JPO;
		,		DERWEN
		ч	e e	Т;
				IBM_TD
				в —
<b>  </b>	••••	<b>&gt;***</b> *********************************		
]. ]		,		USPAT;
	* 1 * *			US-PGP
				UB;
			("4323925" "5065245"	EPO;
15	L18	12	"5510618" "5848123"	JPO;
			"5872364").pn.	DERWEN
' '	٠.		• • • • • • • • •	Т;
				IBM_TD
			•	В
1				* .

	L #	Hits	Search Text	DBs
16	L19	7	("4323925"   "4543490"   "4810881"   "4931647"   "5065245"   "5159455"   "5550380").PN.	USPAT
17	Ĺ20	35	4323925.URPN.	USPAT
18	L21	2	20 and 11	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B
19	L22	4	9 and 20	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B